

# LIFE&DECO

14/15







6	INTRODUCTION
16	TLO
26	ARCH <i>new</i>
34	PHIOL
42	TRIS
56	CONSTEL
64	WHITE CONCEPT

102	BLACK CONCEPT
136	TUBE
146	HB8 / HB4
156	ARAL <i>new</i>
162	CORA <i>new</i>
170	IBE <i>new</i>
175	COMING SOON

Passion of light... ..creates sophisticated lighting

- ▶ Leading European luminaire manufacturer
- ▶ Sophisticated design
- ▶ Innovative technology
- ▶ International experience
- ▶ Highest quality



# LIFE&DECO

Light to create a modern interior



## AN EXPRESSION OF PASSION IN LIGHTING DESIGN

The ENERLUM DECO brand is a collection of products which confirms the ENERLUM designers' knowledge, many years of experience and passion for luminaire design.

Thanks to them, a concept became a real offer directed towards Architects, Interior and Lighting Designers, who are searching for synergy between high quality craftsmanship, unique design and modern technology. The collections are dedicated for architectural interior compositions, where the form of the luminaire must be as refined, as all other details. It was created with luxury hotels, modern galleries and originally designed shopping centers in mind.

ENERLUM DECO is a clear choice for those, who treat light not as a necessity, but rather as an opportunity and challenge in creating space and impressions.

[www.enerlum.com](http://www.enerlum.com)






# SHOWROOMS





# TLO



Best in class family of decorative LED plafonds. High end aluminium finishing and different diameters allow on multiple interior creations.







**Description:**  
decorative pendant or surface mounted luminaire for LED light sources

**Technical details:**  
luminaire body made of black anodized aluminum, microprismatic or satin diffuser

**Mounting:**  
pendant on wire suspension (included) or surface mounted

**Additionally available:**  
DALI version


**Application:**  
office spaces, conference rooms, lobbies and reception areas, shopping malls, car showrooms, boutiques, shopping centres

3  
black

TLO										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LED FLUX [lm]	LUMINAIRE FLUX [lm]	W [mm]	H [mm]	WEIGHT [kg]
200063.5L01.11X	ED	37	45	80	3000	4000	3000	450	100	5,9
200063.5L02.11X	ED	37	45	80	4000	4400	3300	450	100	5,9
200063.5L03.12X	ED	170	200	80	3000	18300	13650	950	100	20,3
200063.5L04.12X	ED	170	200	80	4000	19800	14800	950	100	20,3

Sample code:  
200063.5L01.111  
200063.5L01.112

1-SATIN
2-MICROPRISMATIC




**Description:**  
decorative pendant or surface mounted luminaire for LED light sources

**Technical details:**  
luminaire body made of black anodized aluminum, microprismatic or satin diffuser

**Mounting:**  
pendant on wire suspension (included) or surface mounted

**Additionally available:**  
DALI version

**Application:**  
office spaces, conference rooms, lobbies and reception areas, shopping malls, car showrooms, boutiques, shopping centres



TLO CUBO / SUSPENDED										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS [lm]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
200103.5L01.11X	ED	60	64	80	3000	6200	590	590	96	10,4
200103.5L02.11X	ED	60	64	80	4000	6800	590	590	96	10,4
200103.5L03.12X	ED	90	94	80	3000	9300	860	590	96	17,2
200103.5L04.12X	ED	90	94	80	4000	10200	860	590	96	17,2
200103.5L05.12X	ED	135	140	80	3000	14000	860	860	96	26,1
200103.5L06.12X	ED	135	140	80	4000	15300	860	860	96	26,1


Sample code:  
200103.5L01.111  
200103.5L01.112

1-SATIN
2-MICROPRISMATIC

TLO CUBO / CEILING										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS [lm]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
200103.5L01.11X	ED	930	60	80	3000	6200	590	590	96	10,4
200103.5L02.11X	ED	930	60	80	4000	6800	590	590	96	10,4
200103.5L03.12X	ED	1400	90	80	3000	9300	860	590	96	17,2
200103.5L04.12X	ED	1400	90	80	4000	10200	860	590	96	17,2
200103.5L05.12X	ED	1400	135	80	3000	14000	860	860	96	26,1
200103.5L06.12X	ED	1400	135	80	4000	15300	860	860	96	26,1

Sample code:  
200103.5L01.111  
200103.5L01.112

1-SATIN
2-MICROPRISMATIC




**Description:**  
decorative pendant or surface mounted luminaire for LED light sources

**Technical details:**  
luminaire body made of aluminum painted black, microprismatic or satin diffuser

**Mounting:**  
pendant on wire suspension (included) or surface mounted

**Additionally available:**  
DALI version

**Application:**  
office spaces, conference rooms, lobbies and reception areas, shopping malls, car showrooms, boutiques, shopping centres



**TLO LIGHT SUSPENDED**

ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS LED [lm]	LUMENS LUMINAIRE [lm]	W [mm]	H [mm]	WEIGHT [kg]
200073.5L01.11X	ED	37	45	80	3000	4000	3000	450	100	5,9
200073.5L02.11X	ED	37	45	80	4000	4400	3300	450	100	5,9
200073.5L03.12X	ED	70	82	80	3000	7450	5550	650	100	10,3
200073.5L04.12X	ED	70	82	80	4000	8100	6050	650	100	10,3
200073.5L05.13X	ED	170	200	80	3000	18300	13650	950	100	20,3
200073.5L06.13X	ED	170	200	80	4000	19800	14800	950	100	20,3
200073.5L07.14X	ED	350	410	80	3000	37300	27800	1350	111	41,8
200073.5L08.14X	ED	350	410	80	4000	40350	30100	1350	111	41,8
200073.5L09.15X	ED	720	840	80	3000	76600	57150	1950	111	84,8
200073.5L10.15X	ED	720	840	80	4000	82900	61850	1950	111	84,8

Sample code:

200073.5L01.111  
200073.5L01.112

1- SATIN
2- MICROPRISMATIC

**TLO LIGHT CEILING**

ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS LED [lm]	LUMENS LUMINAIRE [lm]	W [mm]	H [mm]	WEIGHT [kg]
200073.5L01.21X	ED	37	45	80	3000	4000	3150	450	100	5,9
200073.5L02.21X	ED	37	45	80	4000	4400	3450	450	100	5,9
200073.5L03.22X	ED	70	82	80	3000	7450	5850	650	100	10,3
200073.5L04.22X	ED	70	82	80	4000	8100	6350	650	100	10,3
200073.5L05.23X	ED	170	200	80	3000	18300	14350	950	100	20,3
200073.5L06.23X	ED	170	200	80	4000	19800	15550	950	100	20,3

Sample code:

200073.5L01.111  
200073.5L01.112

1- SATIN
2- MICROPRISMATIC

# ARCH



Decorative high bay luminaire with unique fusion of refined design and the newest lighting solutions. ARCH is dedicated for modern interior applications including elegant boutiques, showrooms, galleries etc.




IN  
100°  
LED  
1:1



0



1



**Description:**

decorative pendant luminaire with LED light sources

**Technical details:**

luminaire body made of aluminium, aluminium diffuser

**Mounting:**


mounted on wire suspension (included)

**Additionally available:**

DALI version, LED edge illumination of diffuser in five monochromatic LED colours

**Application:**

retail and sales rooms, boutiques, car showrooms, galleries and shopping malls, elegant and modern offices, lobbies and receptions



<b>0</b> brushed alu	<b>1</b> white
----------------------------	-------------------

ARCH								
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	L [mm]	H [mm]	WEIGHT [kg]
200011X.5L01.110	ED	30	80	3000	3000	403	312	4,0
200011X.5L02.110	ED	30	80	4000	3000	403	312	4,0
200011X.5L03.110	ED	50	80	3000	5000	403	312	4,0
200011X.5L04.110	ED	50	80	4000	5000	403	312	4,0

Sample code:

200111.5L01.110  
200112.5L01.110

1- BRUSHED ALU
2- WHITE





## SENSATION OF COLOURS



# PHIOL



## SENSATION OF COLOURS




Multifunctional downlight revolution.  
Unique fusion of downlight and spotlight  
for retail and other modern interiors.





24°  
40°




1:1








# TRIS



## SENSATION OF COLOURS

TRIS - explore the potential of shapes and colours.  
"Downlight" does not mean "boring" anymore ...



# colour SCHEM




Enjoy the colours

# SCHEM



# COLOUR SCHEM



SCHEM 1

BODY


**1**  
white

**3**  
black


RINGS

**1**  
white

**3**  
black



SCHEM 2



SCHEM 4  
on request

BODY

ecru

RINGS

van dyke brown

cold beige

bright blue

alizarin red

# COLOUR SCHEM



SCHEM 3

BODY

**1**  
white

RINGS

**1**  
pink based on chinacridon

**2**  
alizarin red

**3**  
cinnabar green light

**4**  
azure blue

**5**  
bahama yellow

BODY

**3**  
black

RINGS


**1**  
pink based on chinacridon

**2**  
alizarin red

**3**  
cinnabar green light

**4**  
azure blue

**5**  
bahama yellow



SCHEM 5  
on request


BODY

van dyke brown

RINGS

cold beige

ecru



**Description:**  
unique multifunctional downlight luminaire incorporating spotlight function. Possibility of beam angle direction: vertical 0-90° and horizontal 0-350°. Unique and original colour of the luminaires makes it possible to create interesting decorative effects in modern interiors

**Technical details:**  
luminaire body made of painted steel sheet.  
Black recess for a reflector made of high quality anodized aluminum. Ring's reflector made of plastic in original and sophisticated colours

**Mounting:**  
recessed into ceilings

**Additionally available:**  
metal halide light sources (on request)

**Application:**  
hotels, restaurants, conference halls, sales, outlets, museums, galleries, offices, boutiques

**PHIOL**

MODULE TYPE	POWER [W]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
PHIOLE "A"	1 x X	196	348	144	2,6
PHIOLE "B"	2 x X	348	348	144	4,7
PHIOLE "C"	3 x X	428	464	144	6,0
PHIOLE "D"	3 x X	500	348	144	6,0
PHIOLE "E"	4 x X	652	348	144	7,6
PHIOLE "F"	5 x X	804	348	144	9,2

Sample code:  
22001X.5LXXX.3XX  
220011.5L202.333


PHIOLE LED	BODY COLOUR	5L	NO OF LIGHT SOURCES	POWER [W]	RING COLOUR	MODULE TYPE
22001	X		X	XX	Ra COLOUR TEMP. BEAM ANGLE	3 X X


1 - white
3 - black

1 - one light	01 - 18W	92	4000	24°
2 - two lights	02 - 18W	92	3000	24°
3 - three lights	03 - 18W	92	4000	40°
4 - four lights	04 - 18W	92	3000	40°
5 - five lights				

\*BODY / RINGS colours: for colour reference please see pages 50-51

1*	1 - "A"
2*	2 - "B"
3*	3 - "C"
4*	4 - "D"
5*	5 - "E"
6*	6 - "F"
7*	






**Description:**  
unique downlight luminaire of modern, sophisticated design for LED. Cutting edge and original colours of the luminaires make it possible to create interesting decorative effects in modern interiors

**Technical details:**  
luminaire body made of painted steel sheet. Black recess for a reflector made of high quality anodized aluminium. The ring of the reflector is made of plastic in unique colours

**Mounting:**  
recessed into ceilings

**Additionally available:**  
metal halide light sources (on request)

**Application:**  
hotels, restaurants, conference halls, sales outlets, museums, galleries, offices, boutiques




Sample code:  
22002X.5LXXX.3XX

TRIS										
TETRIS LED	BODY COLOUR	5L	NO OF LIGHT SOURCES	POWER [W]			RING COLOUR	MODULE TYPE		
				COLOUR TEMP.	BEAM ANGLE					
22002	X		X	XX	Ra		3	X	X	
	1 - white 3 - black		1 - one light 2 - two lights 3 - three lights 4 - four lights 5 - five lights	01 - 18W 02 - 18W 03 - 18W 04 - 18W	92 92 92 92	4000 3000 4000 3000	24° 24° 40° 40°	1* 2* 3* 4* 5* 6* 7* 8 - "H"	1 - "A" 2 - "B" 3 - "C" 4 - "D" 5 - "E" 6 - "F" 7 - "G"	


\*BODY / RINGS colours: for colour reference please see pages 51-51

TRIS					
MODULE TYPE	POWER [W]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
TETRIS "A"	1 x X	196	196	144	2,4
TETRIS "B"	2 x X	348	196	144	3,2
TETRIS "C"	3 x X	500	196	144	4,6
TETRIS "D"	4 x X	652	196	144	5,2
TETRIS "E"	4 x X	348	348	144	5,2
TETRIS "F"	3 x X	348	348	144	4,6
TETRIS "G"	4 x X	500	348	144	5,2
TETRIS "H"	4 x X	500	348	144	5,2

# CONSTEL




Discover universe of the newest LED solutions. CONSTEL is modern pendant direct-indirect lighting system with refined construction and energy saving technology. CONSTEL perfectly meets requirements of modern boutiques, showrooms, galleries and many others.





Special luminaire version (customised solution)



24°

40°



1:1




**Description:**  
decorative pendant direct-indirect light system also available in single fitting version. Direct light provided by adjustable LED spotlights (ø111mm), indirect by linear LED modules

**Technical details:**  
luminaire body made of aluminium painted in ecru. Top cover is made of anodized aluminium in black. Spotlight body made of aluminium painted black. Top diffuser made of PMMA. For LED version rings supplied complete with lamp 3000K or 4000K and angle of 24° or 40°

**Mounting:**  
system suspended on wire suspension (included)

**Application:**  
commercial and sales rooms: boutiques, showrooms, galleries, elegant and modern offices, lobbies and reception areas



CONSTEL SYSTEM											
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	LIGHT BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
240010.5L01.12	ED	9x18W + 15x10W	92	3000	11070 + 9450	24°	ÈCRU	1600	1600	91	30,2
240010.5L02.12	ED	9x18W + 15x10W	92	4000	11700 + 9450	24°	ÈCRU	1600	1600	91	30,2
240010.5L03.12	ED	9x18W + 15x10W	92	3000	11070 + 9450	40°	ÈCRU	1600	1600	91	30,2
240010.5L04.12	ED	9x18W + 15x10W	92	4000	11700 + 9450	40°	ÈCRU	1600	1600	91	30,2





**Description:**  
decorative pendant direct-indirect light luminaire, direct light provided by adjustable LED light sources, indirect by linear LED modules

**Technical details:**  
luminaire body made of aluminium painted in ecru. Top cover is made of anodized aluminium in black. Spotlight body made of aluminium painted black. Top diffuser made of PMMA. For LED version rings supplied complete with lamp 3000K or 4000K and angle of 24° or 40°

**Mounting:**  
suspended on wire suspension (included)

**Application:**  
commercial and sales rooms: boutiques, showrooms, galleries, elegant and modern offices, lobbies and reception areas



CONSTEL SOLO										
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	LIGHT BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	H [mm]	WEIGHT [kg]
240010.5L01.12	ED	3x18W + 5x10W	92	3000	3150 + 3000	24°	ÈCRU	1600	91	7,0
240010.5L02.12	ED	3x18W + 5x10W	92	4000	3150 + 3000	24°	ÈCRU	1600	91	7,0
240010.5L03.12	ED	3x18W + 5x10W	92	3000	3600 + 3000	40°	ÈCRU	1600	91	7,0
240010.5L04.12	ED	3x18W + 5x10W	92	4000	3600 + 3000	40°	ÈCRU	1600	91	7,0



# white

C O N C E P T

# ROXIM




ROXIM – this modern spotlight takes advantage of the newest technology and unique design to deliver high performance and maximum energy savings. Retail areas, car showrooms and museums require precise and flexible lighting, designed to illuminate the space while highlighting metal objects, fabrics or artworks. All optics guarantee excellent light distribution with narrow (12°) or wider beams (24°, 36°) according to specific needs.



12°  
24°  
36°



ANTI-GLARE louvers and special UV filters



# OSAK



Unique interior requires unique lighting solutions. The construction of OSAK incorporates the newest lighting solutions for sophisticated interior applications including elegant designer offices, board meeting rooms etc.




120°




1:1



# KIWA



Decorative pendant luminaire with unique fusion of elegance, modern design and newest lighting solutions. KIWA is dedicated for sophisticated interior applications including elegant designer offices, board meeting rooms etc.




  
**120°**

  
**LED**

  
**1:1**

# IWAK



Sophisticated ideas requires sophisticated luminaires.  
Refined shape and the latest lighting technologies makes  
IWAK perfect luminaire for modern interiors including  
offices, board meeting rooms etc.



120°



IWAK


80




enerlum  
DECO

81


# KAWA



Explore KAWA, decorative pendant luminaire with impressive shape and newest lighting solutions. When you require emphasize sophisticated interior, KAWA shall to be most accurate luminaire in order to obtain it.



  
**120°**  
  
  
**1:1**





# KOB



When you require unique atmosphere, KOB shall be the most accurate solution in order to obtain it. Choose this direct light luminaire for arranging modern interiors.





# HOKKAI

This round, recessed luminaire creates exceptional opportunities in interior designing. Magnificent combination of black and white on the ceiling.






**Description:**  
indoor projector for metal halide lamps

**Technical details:**  
luminaire body made of plastic material in white, ecru or black with black finishing, aluminium reflector, 12°, 24°, 36° reflectors available, tempered protective glass, adjustable handle that allows the projector operation in two axes, luminaire body with an adapter for a three-phase track, recessed or surface mounting bases available, HF ballast


**Mounting:**  
for three-phase track or mounting bases, min distance from the illuminated surface - 0,5 m

**Additionally available:**  
accessories, light sources

**Application:**  
boutiques, shopping centres, car showrooms, clothing shops, museums, galleries, illumination of vertical surfaces: cabinets, exhibitions, expositions



POWER [W]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
XX	170	170	120	0,7



Sample code:  
210010.1XX2.7XX.XXX  
200010.1012.701.903

ROXIM [White Concept]					
210010	1	XX	2	7	XXX
COLOUR		POWER [W]		LIGHT BEAM ANGLE	LIGHT SOURCE
ECRU		01 - 20W/G8,5		01 - 12°	903 - colour temp. 830
		02 - 35W/G8,5		03 - 36°	904 - colour temp. 942
		03 - 50W/G8,5		07 - 24°	906 - colour temp. 930
		04 - 20W/GU6,5			
		05 - 35W/GU6,5			
		06 - 50W/GU6,5			

Sample code:  
20001X.1XX2.7XX.XXX  
200011.1012.701.903

ROXIM [ENERLUM]					
20001X	1	XX	2	7	XXX
COLOUR		POWER [W]		LIGHT BEAM ANGLE	LIGHT SOURCE
1 - WHITE		01 - 20W/G8,5		01 - 12°	903 - colour temp. 830
3 - BLACK		02 - 35W/G8,5		03 - 36°	904 - colour temp. 942
		03 - 50W/G8,5		07 - 24°	906 - colour temp. 930
		04 - 20W/GU6,5			
		05 - 35W/GU6,5			
		06 - 50W/GU6,5			




**Description:**  
decorative pendant direct light luminaire for LED light sources


**Technical details:**  
luminaire covered from the top, made out of metal steel sheet painted black, high quality glossy plexiglass in ecru, satin shade, electronic driver, transparent supply wire

**Mounting:**  
on wire suspension (included)

**Application:**  
hotels, restaurants, conference rooms, sales outlets, museums, galleries, offices, boutiques



OSAK												
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	D [mm]	WEIGHT [kg]
210020.5L01.112	ED	3x10	80	4000	3000	120°	ÉCRU	1000	81	165	885	5,6
210020.5L02.112	ED	3x10	80	3000	3000	120°	ÉCRU	1000	81	165	885	5,6




**Description:**  
decorative pendant direct light luminaire for LED light sources

**Technical details:**  
luminaire covered from the top, made out of metal steel sheet painted black, high quality glossy plexiglass in ecru, satin shade, electronic driver, transparent supply wire

**Mounting:**  
on wire suspension (included)

**Application:**  
hotels, restaurants, conference rooms, sales outlets, museums, galleries, offices, boutiques



KIWA												
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	D [mm]	WEIGHT [kg]
210040.5L01.112	ED	3x10	80	4000	3000	120°	ÉCRU	930	123	150	460	3,5
210040.5L02.112	ED	3x10	80	3000	3000	120°	ÉCRU	930	123	150	460	3,5




**Description:**  
decorative pendant direct light luminaire for LED light sources


**Technical details:**  
luminaire covered from the top, made out of metal steel sheet painted black, high quality glossy plexiglass in ecru, satin shade, electronic driver, transparent supply wire

**Mounting:**  
on wire suspension (included)

**Application:**  
hotels, restaurants, conference rooms, sales outlets, museums, galleries, offices, boutiques



IWAK												
ARTICLE NUMBER	DRIVER	POWER [W]	Ra	COLOUR TEMP.	LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	D [mm]	WEIGHT [kg]
210030.5L01.112	ED	3x10	80	4000	3000	120°	ÉCRU	930	123	150	460	5,6
210030.5L02.112	ED	3x10	80	3000	3000	120°	ÉCRU	930	123	150	460	5,6




**Description:**  
decorative pendant direct light luminaire for LED light sources


**Technical details:**  
luminaire covered from the top, made out of metal steel sheet painted black, high quality glossy plexiglass in ecru, satin shade, transparent supply wire

**Mounting:**  
on wire suspension (included)

**Application:**  
hotels, restaurants, conference rooms, sales outlets, museums, galleries, offices, boutiques



KAWA												
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	D [mm]	WEIGHT [kg]
210050.5L01.112	ED	3x10	80	4000	3000	120°	ÉCRU	930	123	150	604	5,8
210050.5L02.112	ED	3x10	80	3000	3000	120°	ÉCRU	930	123	150	604	5,8




**Description:**  
decorative pendant direct light luminaire for LED

**Technical details:**  
luminaire made of top quality aluminium material, painted ecru and black, luminaire featuring wire suspension and transparent supply wire


**Mounting:**  
on wire suspension (included)

**Additionally available:**  
metal halide light sources (on request)

**Application:**  
hotels, restaurants, conference halls, sales outlets, museums, galleries, offices, boutiques



KOB												
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	W [mm]	H [mm]	D [mm]	WEIGHT [kg]
210060.5L02.11	ED	18	92	3000	1230	24°	ÉCRU	180	180	200	100	3,5
210060.5L01.11	ED	18	92	4000	1300	24°	ÉCRU	180	180	200	100	3,5
210060.5L04.11	ED	18	92	3000	1230	40°	ÉCRU	180	180	200	100	3,5
210060.5L03.11	ED	18	92	4000	1300	40°	ÉCRU	180	180	200	100	3,5





**Description:**  
recessed circular luminaire including tilting LED spotlights (ø111mm) adjustable horizontally and vertically

**Technical details:**  
luminaire body made of plastic in ecru and black. The spotlight ring made of aluminium, luminaire supplied complete with LED lamp 3000K or 4000K and an angle 24° and 40°

**Mounting:**  
recessed into ceilings 12 mm to 25 mm thick by use of clamps which are an integral part of the luminaire


**Additionally available:**  
metal halide light sources (on request)

**Application:**  
retail, offices, schools, representative rooms, corridors



HOKKAI									
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	BEAM ANGLE	LUMINAIRE BODY COLOUR	L [mm]	H [mm]
210070.5L302.31	ED	3x18	92	3000	3690	24°	ÉCRU	530	60
210070.5L301.31	ED	3x18	92	4000	3900	24°	ÉCRU	530	60
210070.5L304.31	ED	3x18	92	3000	3690	40°	ÉCRU	530	60
210070.5L303.31	ED	3x18	92	4000	3900	40°	ÉCRU	530	60

# BLACK CONCEPT ■




# AS



In design simplicity is a key - architectonic interiors require modern and minimalistic lighting solutions. Latest lighting technology and simple design make AS perfect solution for modern interiors.





# SPHER




Explore sophisticated design and shape in black, elegant finishing. SPHER is a modern pendant luminaire with refined construction and LED technology.







SPHER






# CMA


Unique frameless downlight for LED lamps inspired by the latest trends in modern architecture. Energy-saving technology makes CMA perfect luminaire for modern interiors including offices, board meeting rooms etc.



# MOSAI



Explore MOSAI, the latest lighting solutions closed in remarkable design. When you require sophisticated luminaire for sophisticated interior, MOSAI shall be a perfect choice.



1:1


# ELIP




Discover new vision of sophisticated lighting that will indicate the direction of change in the surrounding interiors design. ELIP is an impressive pendant luminaire designed for a modern interiors.

# ELIP










**Description:**  
decorative pendant luminaire for LED light sources

**Technical details:**  
luminaire body made of black, glossy plastic material. Aluminum radiator in mat black colour, silver hangers of anodized aluminum

**Mounting:**  
pendant on wire suspension (included)

**Application:**  
office spaces, conference rooms, showrooms, museums, galleries, lobbies and reception areas



AS											
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	LIGHT BEAM ANGLE	LUMINAIRE COLOUR	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
250013.5L02.111	ED	16	80	3000	1575	120°	black	600	150	33	2,0
250013.5L01.111	ED	16	80	4000	1710	120°	black	600	150	33	2,0
250013.5L04.112	ED	22	80	3000	2100	120°	black	750	150	33	2,3
250013.5L03.112	ED	22	80	4000	2280	120°	black	750	150	33	2,3






**Description:**  
decorative pendant luminaire for LED  
Ø111mm with its own reflector

**Technical details:**  
luminaire construction based on plastic polyester material (resin) in black colour. Optic frame made of galvanized steel. Optics frame made of aluminum, luminaire complete with LED lamp 3000K or 4000K and angle 24° or 40°

**Mounting:**  
on suspension hangers (included)

**Additionally available:**  
metal halide light sources (on request)

**Application:**  
office spaces, conference rooms, showrooms, museums, galleries, lobbies and reception desks



SPHER					
MODULE TYPE	POWER [W]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
SPHERE "A"	2 x X	797	340	92	5,2
SPHERE "B"	3 x X	1197	340	92	6,8
SPHERE "C"	4 x X	797	530	92	7,9

SPHERE LED	BODY COLOUR:	5L	NO OF LIGHT SOURCES		POWER [W]			1	MODULE TYPE
			X	XX	Ra	COLOUR TEMP.	BEAM ANGLE		
25002	X							X	
	3 - black		1 - one light	01 - 18W	92	4000	24°		
			2 - two lights	02 - 18W	92	3000	24°		
			3 - three lights	03 - 18W	92	4000	40°		
			4 - four lights	04 - 18W	92	3000	40°		

Sample code:  
25002X.5LXXX.1X  
250023.5L201.11




**Description:**  
frameless downlight for LED light sources

**Technical details:**  
mounting frame construction made of steel sheet painted white, recess for light sources made of sheet steel painted black. Optics frame made of aluminum, luminaire complete with LED lamp 3000K or 4000K and angle 24° or 45°

**Mounting:**  
into the plasterboard ceilings by use of clamps that are integral part of the luminaire. The edge of the mounting hole after installation requires filling and painting

**Additionally available:**  
metal halide light sources (on request)

**Application:**  
offices, conference rooms and classrooms, shops, corridors




CMA							
MODULE TYPE	POWER [W]	L [mm]	W [mm]	H [mm]	D1 [mm]	D2 [mm]	WEIGHT [kg]
COMA "A"	1 x X	274	259	170	184	170	2,5
COMA "B"	2 x X	434	259	170	344	170	3,7
COMA "C"	3 x X	594	259	170	504	170	5,8
COMA "D"	4 x X	754	259	170	664	170	6,9
COMA "E"	4 x X	434	426	170	344	338	7,6

COMA LED	BODY COLOUR:	5L	NO OF LIGHT SOURCES		POWER [W]			1	MODULE TYPE
			X	XX	Ra	COL TEMP.	Beam angle		
25003	X		1 -one light	18	92	4000	24°		1 - "A"
			2 -two lights	18	92	3000	24°		2 - "B"
			3 -three lights	18	92	4000	40°		3 - "C"
			4 -four lights	18	92	3000	40°		4 - "D"
									5 - "E"

Sample code:  
20003X.5LXXX.1X  
200033.5L201.11

3-black




**Description:**  
decorative pendant LED high bay luminaire

**Technical details:**  
luminaire body made of polyester resin reinforced with glass fiber in black, microprismatic or satin diffuser

**Mounting:**  
on wire suspension (included)

**Application:**  
retail and sales rooms: boutiques, showrooms, galleries and shopping malls, elegant and modern offices, lobbies and receptions



ELIP										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP.	LUMENS LED [lm]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
200093.5L01.111	ED	105	110	80	3000	10650	1110	570	455	18,7
200093.5L02.111	ED	105	110	80	4000	11700	1110	570	455	18,7
200093.5L01.112	ED	105	110	80	3000	10650	1110	570	455	18,7
200093.5L02.112	ED	105	110	80	4000	11700	1110	570	455	18,7

Sample code:  
200093.5L01.111 1 - SATIN  
200093.5L02.112 2- MICROPRISMATIC





**Description:**  
decorative pendant luminaire with LED light sources

**Technical details:**  
luminaire body made of black glossy plastic material, semi-transparent plexiglass

**Mounting:**  
on wire suspension (included)

**Application:**  
sales interiors including boutiques, car showrooms, galleries and shopping malls, elegant and modern offices, reception desks



MOSAIC ROUND									
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMENS LED [lm]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
250033.5L01.11	ED	48	80	3000	2200	650	-	53	5,2
250033.5L02.11	ED	48	80	4000	2440	650	-	53	5,2
MOSAIC									
250053.5L01.11	ED	34	80	3000	1650	850	270	53	4,5
250053.5L02.11	ED	34	80	4000	1850	850	270	53	4,5
MOSAIC MINI									
250043.5L01.11	ED	11	80	3000	1150	270	270	53	2,5
250043.5L02.11	ED	11	80	4000	1250	270	270	53	2,5

# TUBE



Carbon power in the luminaire body!  
Modern form of entire TUBE collection - pendant, surface mounted  
and wall luminaires brings true elegance into every interior.






24°

40°



1:1





# TUBE PEND

TECHNICAL DETAILS



**Description:**

complete luminaire range: pendant, surface mounted, wall for LED lamps  $\phi$ 111mm with lighting direction adjustable horizontally and vertically

**Technical details:**

luminaire body consists of two aluminium tubes - inner tube made of anodized aluminium in silver and outside of anodized aluminium, carbon fibre structure, finished in black. The spotlight is made of aluminium painted black, luminaire complete with LED lamp 3000K and 4000K and angle of 24° or 40°

**Mounting:**


pendant, surface or wall mounted

**Additionally available:**

metal halide light sources (on request)


**Application:**

retail, hotel and residential, office applications, decorative lighting in representative rooms



TUBE PEND									
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	BEAM ANGLE	W [mm]	H [mm]	WEIGHT [kg]
230013.5L02.11	ED	18	92	3000	1230	24°	185	362	3,8
230013.5L01.11	ED	18	92	4000	1300	24°	185	362	3,8
230013.5L04.11	ED	18	92	3000	1230	40°	185	362	3,8
230013.5L03.11	ED	18	92	4000	1300	40°	185	362	3,8

# TECHNICAL DETAILS TUBE CEILING / WALL



**Description:**

complete luminaire range: pendant, surface mounted, wall for LED lamps  $\phi$ 111mm with lighting direction adjustable horizontally and vertically

**Technical details:**

luminaire body consists of two aluminium tubes - inner tube made of anodized aluminium in silver and outside of anodized aluminium, carbon fibre structure, finished in black. The spotlight is made of aluminium painted black, luminaire complete with LED lamp 3000K and 4000K and angle of 24° or 40°

**Mounting:**


pendant, surface or wall mounted

**Additionally available:**

metal halide light sources (on request)

**Application:**

retail, hotel and residential, office applications, decorative lighting in representative rooms



TUBE CEILING									
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	BEAM ANGLE	W [mm]	H [mm]	WEIGHT [kg]
230013.5L02.21	ED	18	92	3000	1230	24°	185	362	3,8
230013.5L01.21	ED	18	92	4000	1300	24°	185	362	3,8
230013.5L04.21	ED	18	92	3000	1230	40°	185	362	3,8
230013.5L03.21	ED	18	92	4000	1300	40°	185	362	3,8


TUBE WALL												
ARTICLE NUMBER	DRIVER	POWER LED [W]	Ra	COLOUR TEMP.	LUMINAIRE LUMENS [lm]	BEAM ANGLE	L [mm]	W [mm]	H [mm]	D1 [mm]	D2 [mm]	WEIGHT [kg]
230013.5L02.61	ED	18	92	3000	1230	24°	215	185	362	70	256	4,2
230013.5L01.61	ED	18	92	4000	1300	24°	215	185	362	70	256	4,2
230013.5L04.61	ED	18	92	3000	1230	40°	215	185	362	70	256	4,2
230013.5L03.61	ED	18	92	4000	1300	40°	215	185	362	70	256	4,2



# HB8 / HB4

Impressive high bay luminaire in two sizes and multiple colour configurations - great choice for architects and interior designers.







Enjoy the colours

BODY

1 white	2 black
------------	------------

RINGS

1 pink based on chinacridon	2 alizarin red	3 cinnabar green light	4 azure blue	5 bahama yellow	6 white
-----------------------------------	-------------------	------------------------------	-----------------	-----------------------	------------

# HB 8

TECHNICAL DETAILS



**Description:**  
impressive decorative LED high bay luminaire designed for modern interiors


**Technical details:**  
luminaire construction based on plastic polyester material (resin) in black colour and elements painted in colour selected by designers

**Optics:**  
microprismatic diffuser

**Mounting:**  
suspended luminaire (suspension hangers included)

**Additionally available:**  
satin diffuser, metal halide light sources (on request)


**Application:**  
shopping malls, car showrooms, public utility buildings of modern architecture



HB 8										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS [lm]	COLOUR	W [mm]	H [mm]	WEIGHT [kg]
20002X.5L01.112	ED	120	125	80	4000	13240	black + "1"	886	1085	17,0
20002X.5L01.122	ED	120	125	80	4000	13240	black + "2"	886	1085	17,0
20002X.5L01.132	ED	120	125	80	4000	13240	black + "3"	886	1085	17,0
20002X.5L01.142	ED	120	125	80	4000	13240	black + "4"	886	1085	17,0
20002X.5L01.152	ED	120	125	80	4000	13240	black + "5"	886	1085	17,0
20002X.5L02.112	ED	120	125	80	3000	12040	black + "1"	886	1085	17,0
20002X.5L02.122	ED	120	125	80	3000	12040	black + "2"	886	1085	17,0
20002X.5L02.132	ED	120	125	80	3000	12040	black + "3"	886	1085	17,0
20002X.5L02.142	ED	120	125	80	3000	12040	black + "4"	886	1085	17,0
20002X.5L02.152	ED	120	125	80	3000	12040	black + "5"	886	1085	17,0

# HB 4

TECHNICAL DETAILS



**Description:**  
impressive decorative LED high bay luminaire designed for modern interiors


**Technical details:**  
luminaire construction based on plastic polyester material (resin) in black colour and elements painted in colour selected by designers

**Optics:**  
microprismatic diffuser

**Mounting:**  
suspended luminaire (suspension hangers included)

**Additionally available:**  
satin diffuser, metal halide light sources (on request)

**Application:**  
shopping malls, car showrooms, public utility buildings of modern architecture



Sample code:  
200051.5L01.112  
200053.5L01.112

1 - BODY: WHITE
3 - BODY: BLACK

HB 4										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS [lm]	COLOUR	W [mm]	H [mm]	WEIGHT [kg]
20005X.5L01.112	ED	41	45	80	4000	4200	black + "1"	443	540	7,0
20005X.5L01.122	ED	41	45	80	4000	4200	black + "2"	443	540	7,0
20005X.5L01.132	ED	41	45	80	4000	4200	black + "3"	443	540	7,0
20005X.5L01.142	ED	41	45	80	4000	4200	czarny + "4"	443	540	7,0
20005X.5L01.152	ED	41	45	80	4000	4200	black + "5"	443	540	7,0
20005X.5L02.112	ED	41	45	80	3000	3800	black + "1"	443	540	7,0
20005X.5L02.122	ED	41	45	80	3000	3800	black + "2"	443	540	7,0
20005X.5L02.132	ED	41	45	80	3000	3800	black + "3"	443	540	7,0
20005X.5L02.142	ED	41	45	80	3000	3800	black + "4"	443	540	7,0
20005X.5L02.152	ED	41	45	80	3000	3800	black + "5"	443	540	7,0




# ARAL



Discover magnificent design of ARAL,  
high bay luminaire with newest LED technology.  
Original shape of ARAL perfectly emphasizes  
design of showrooms, galleries, industrial buildings  
and many others.





# CORA



Explore sophisticated fusion of light and concrete. CORA is a modern pendant luminaire with refined construction and energy saving technology. CORA perfectly meets requirements of modern boutiques, galleries and many others.




45°



1:1






**Description:**  
decorative pendant LED high bay luminaire

**Technical details:**  
luminaire body made of polyester resin reinforced with glass fiber in any color from the RAL palette, microprismatic or satin diffuser

**Mounting:**  
on wire suspension (included)

**Application:**  
retail and sales rooms: showrooms, galleries and shopping malls, elegant and modern offices, lobbies and receptions



ARAL										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE OPRAWY [W]	Ra	COLOUR TEMP. [K]	LUMENS LED [lm]	LUMENS LUMINAIRE [lm]	W [mm]	H [mm]	WEIGHT [kg]
200081.5101.101	ED	41	45	80	3000	3800	3050	535	1150	8,2
200081.5102.101	ED	41	45	80	4000	4200	3400	535	1150	8,2
200081.5101.102	ED	41	45	80	3000	3800	3050	535	1150	8,2
200081.5102.102	ED	41	45	80	4000	4200	3400	535	1150	8,2

Sample code:  
200081.5101.101  
200081.5101.102

1 - SATIN
2 - MICROPRISMATIC




**Description:**  
decorative pendant luminaire with LED light sources

**Technical details:**  
luminaire body made of top quality architectonic concrete available in two colors: light and dark grey

**Mounting:**  
mounted on wire suspension (included)

**Additionally available:**  
opal diffuser, DALI

**Application:**  
hotels, restaurants, boutiques, galleries, modern offices and receptions



Sample code:  
2600.0.5L01.11  
2600.0.5L01.11




CORA									
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS LED [lm]	W [mm]	H [mm]	WEIGHT [kg]
2600X0.5L01.11	ED	4	5	80	3000	370	99	390	2,1
2600X0.5L02.11	ED	4	5	80	4000	420	99	390	2,1
2600X0.5L01.11	ED	4	5	80	3000	370	99	390	2,1
2600X0.5L02.11	ED	4	5	80	4000	420	99	390	2,1

# IBE



IBE is decorative luminaire with energy-saving technology closed in refined construction. When you require sophisticated luminaire to sophisticated interior, IBE shall to be perfect choice.





**Description:**

decorative pendant luminaire with LED light sources

**Technical details:**


luminaire body made of anodized aluminum in silver or black  
Eye made of plastic in white

**Mounting:**

on wire suspension (included)

**Application:**

hotels, receptions, restaurants, meeting rooms,  
showrooms, shops



IBE										
ARTICLE NUMBER	DRIVER	POWER LED [W]	LUMINAIRE POWER [W]	Ra	COLOUR TEMP. [K]	LUMENS LUMINAIRE [lm]	L [mm]	W [mm]	H [mm]	WEIGHT [kg]
200043.5L01.112	ED	11	13	>80	4000	2X500	270	100	43	2
200043.5L02.112	ED	11	13	>80	3000	2X500	270	100	43	2

COMING SOON



# AURA



LIFE & DECO



